

NEW – NEW – NEW – NEW – NEW

ALL STEEL SHED FRAMES

Webbed trusses 30' & 36' wide made with 4x4x1/4" wall steel

WEBBED BB44 TRUSSES OFFERED ONLY IN A 3/12 PITCH

WE NOW MAKE 30' ft & 36' ft WIDE WEBBED TRUSSES USING OUR HEAVY DUTY BIG BOY 4X4X1/4" STEEL CONNECTORS FOR FREESPAN BUILDINGS.

INCLUDED AT THE BOTTOM IS A TYPICAL HOOP PLACEMENT CHART FOR WIND & SNOW LOAD & PURLIN CHOICE & PLACEMENT FOR YOUR CONVENIENCE.

EACH 30' WIDE WEBBED TRUSS IS MADE WITH A CONFIGURATION OF 7 INDIVIDUAL WELDED BB44 HEAVY DUTY CONNECTORS

EACH 36' WIDE WEBBED TRUSS IS MADE WITH A CONFIGURATION OF 8 INDIVIDUAL WELDED HEAVY DUTY BB44 CONNECTORS

HOOP KIT PRICES BELOW FOR UPPER CONNECTORS ONLY - IF APPLYING BUILDING TO A CONCRETE FOUNDATION BASE PLATE CONNECTORS EXTRA

WE SELL ALL HARDWARE FOR INSTLALATION PLEASE ASK WHEN ORDERING

30 FT WIDE HOOP TRUSS KIT PRICES

BB44-30WIDE312 KIT (kit INCULDES 7 UPPER CONNECTORS) (each) \$ 576.00

ORDER 6 OR MORE 30' WIDE HOOP TRUSS KITS & PRICE IS (each) \$ 504.00

36 FT WIDE HOOP TRUSS KIT PRICES

BB44-36WIDE312KIT (kit INCULDES 8 UPPER CONNECTORS) (each) \$784.00

ORDER 6 OR MORE 36' WIDE HOOP TRUSS KITS PRICE IS (each) \$686.00

TO ORDER CALL RON AT ALL STEEL SHED FRAMES 480 343 9571

TYPICAL FRAME SCHEDULE - 3:12 ROOF SLOPE

| ROOF LOADING | FRAME WIDTH | FRAME BEAM | FRAME SPACING | ROOF PURLINS | FLOOR PURLINS | ALT. FLOOR PURLINS |
|------------------------------------|-------------|------------|---------------|-----------------|-----------------|--------------------|
| 20 PSF LIVE LOAD/ 10 PSF DEAD LOAD | 30 FT. | DOUBLE 4x4 | 7 FT. | 2x4 AT 24" O.C. | 2x4 AT 12" O.C. | 4x4 AT 24" O.C. |
| | 36 FT. | 4x6 on 4x4 | 6 FT. | 2x4 AT 24" O.C. | 2x4 AT 24" O.C. | — |

| | | | | | | |
|------------------------------------|--------|------------|-------|-----------------|-----------------|---|
| 20 PSF LIVE LOAD/ 20 PSF DEAD LOAD | 30 FT. | DOUBLE 4x4 | 5 FT. | 2x4 AT 24" O.C. | 2x4 AT 24" O.C. | — |
| | 36 FT. | 4x6 on 4x4 | 5 FT. | 2x4 AT 24" O.C. | 2x4 AT 24" O.C. | — |

| | | | | | | |
|------------------------------------|--------|------------|-------|-----------------|-----------------|---|
| 40 PSF SNOW LOAD/ 10 PSF DEAD LOAD | 30 FT. | DOUBLE 4x4 | 4 FT. | 2x4 AT 24" O.C. | 2x4 AT 24" O.C. | — |
| | 36 FT. | 4x6 on 4x4 | 4 FT. | 2x4 AT 24" O.C. | 2x4 AT 24" O.C. | — |

A TYP. FRAME SCHEDULE
NO SCALE